



## R 27 Touring and Sport

with "floating engine"

Full swing suspension. Powerful single-cylinder fourstroke floating engine. Four-speed gearbox, footchange. Front and rear wheel swing arms with telescopic forks and hydraulic shock absorbers. Drop-centre wheel rims. Light-alloy full-hub brakes. Lockable toolkit. Swing saddle or


Horsepower: 18
Displacement: 245 cc
Bore and Stroke: 68×68 mm
Revolutions p.min.: 7 400
Compression Ratio: 8.2: 1
Tank Capacity: 4 gals.
Tires and Wheels: 3.25 × 18
Weight: 345 lbs.
Handlebar Width: 29"
Overall Length: 86"
Saddle Height: 30"

## R 50 Touring and Sport

Powerful twin-cylinder engine. Four-speed gearbox, foot-change. Race-tested full swing suspension. Front and rear wheel swing arms with telescopic forks and hydraulic shock absorbers. Polished 18" light-alloy wheel rims. Light-alloy full-hub brakes. Swing saddle or dual sect.

Horsepower: 26
Displacement: 490 cc
Bore and Stroke: 68 × 68 mm
Revolutions p.min.: 5 800
Compression Ratio: 6.8: 1
Tank Capacity: 4.4 gals.
Tires and Wheels: 3.50 × 18
Weight: 425 lbs.
Handlebar Width: 29"
Overall Length: 86"
Saddle Height: 301/2"





R 50 S Sport

foot-change. Race-tested full swing suspension. Front and rear wheel swing arms with telescopic forks and hydraulic shock absorbers, with hydraulic steering damper. Polished 18" light-alloy wheel rims. Swing saddle or dual seat.

> Horsepower: 35 Displacement: 490 cc Bore and Stroke: 68×68 mm Revolutions p.min.: 7 650 Compression Ratio: 9.2:1 Tank Capacity: 4.4 gals. Tires and Wheels: 3.50×18 Weight: 430 lbs. Handlebar Width: 29" Overall Length: 86" Saddle Height: 301/2"





R 69 S Sport


Twin-cylinder heavy-duty engine. Four-speed gearbox, foot-change. Race-tested full swing suspension. Front and rear wheel swing arms with telescopic forks and hydraulic shock absorbers, with hydraulic steering damper. Polished 18" lightalloy wheel rims. Lightalloy full-hub brakes.

Horsepower: 42
Displacement: 590 cc
Bore and Stroke: 72×73 mm
Revolutions p.min.: 7 000
Compression Ratio: 9.5: 1
Tank Capacity: 4.4 gals.
Tires and Wheels: 3.50×18
Weight: 445 lbs.
Handlebar Width: 29"
Overall Length: 86"
Saddle Height: 301/2"

M 247a 10.4.62


In 1961, BMW again won the world championship for motorcycles with sidecar for the 7th time in succession. BMW holds 27 world records from 1 km to 24 hours.














BMW motorcycles have been admired throughout the world ever since they were first built. Their reputation is well founded • BMW motorcycles are of lasting value: developed over the course of many years, the range of models includes no short-lived new designs. Today, just as 40 years ago, the progressive BMW machines feature the classic horizontally opposed twin-cylinder engine, built into an integral unit with the four-speed gearbox, and the time-tested shaft drive. But the advance of technology cannot be halted. The new BMW motorcycles have been further perfected in a number of respects, bringing renewed improvements in performance and riding comfort • BMW motorcycles are unsurpassed in technical elegance and top-grade workmanship • Hundreds of thousands of BMW motorcycles have proved their reliability in the remotest countries, on every continent, and under the most severe climatic conditions • BMW motorcycles are superior in sports: on international race tracks and in gruelling cross-country competitions they have proved the top-flight quality of their design, technical maturity, and ideal roadability.